

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 29]

NEW DELHI, SATURDAY, JULY 19, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1952

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (U)								Bihar—contd.							
Ajmer								Champanan							
TOTAL	205	24	Muzaffarpur
(Estd. mid-year pop. 708 thousands).								Darbhanga
Total for w/e 14-6-52	102	8	1	1	Monghyr
Total for w/e 7-6-52	62	8	3	3	Shahgalpur	7
7-yearly mean for the week	2	1	Jaipur	17	9
Assam								Purnea	7
Nachar	8	3	Sachin Pargana	1	..	1
Chasi and Jaintia Hills	Hazribagh	1	1	1
Naga Hills	Ranchi	3
Goalpara	Manbhum	22	11	9	3
Samrup	Palamau	62	25	9
Jarrang	Singhbhum	10	1
Nowgong	TOTAL	243	91	80	17
Sibsagar	(Estd. mid-year pop. 40,709 thousands)							
Lakhimpur	Total for w/e 14-6-52	178	92	75	10
Jadiga & Frontier Tracts	Total for w/e 7-6-52	243	91	73	9
Jaro Hills	7-yearly mean for the week	803	410	307	67	1
TOTAL	8	3	Bombay							
(Estd. mid-year pop. 9,334 thousands).								Groaser } Bombay }	8	4
Total for w/e 14-6-52	2	2	Ahmedabad	3
Total for w/e 7-6-52	3	2	9	3	Kaira
7-yearly mean for the week	54	33	7	3	Broach
Bhopal								Panch Mahals
No intelligence								Surat	2	1
(Estd. mid-year pop. 845 thousands).								Tanna	13	4
Total for w/e 14-6-52	Bombay Suburban
Total for w/e 7-6-52	Amalnagar	5	1
7-yearly mean for the week	East Khanlesh	3	1
Bihar								West Khanlesh
Patna	3	1	5	2	Amul
Gaya	96	10	5	Nasik	1
Patna	45	17	6	2	Poona	8	4	8	1
Patna	8	3	Satara North
								Satara South
								Sholapur	1

Explanation of symbols used — C = Cases; D = Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1952—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay— <i>contd.</i>								Madhya Pradesh— <i>contd.</i>							
Sabarkantha	—	—	Chhindwara
Belgaum	—	Betul
Bijapur	—	..	—	..	—	Bhandara	1
Dharwar	27	7	1	Jabalpur
Kanara	—	..	2	Sagar	114	40	3
Ratnagiri	Mandla
Kolaba	2	..	—	Hoangabad
Kolhapur	3	1	—	—	—	—	—	Nimar
Birga	Balaghat
Nasari	—	..	—	—	—	—	—	Raipur	1	1
Dange	—	..	—	Bilaspur	33	25
Malwan	—	..	—	Durg	14	2
Mahana	—	..	3	2	Bastar
Banaskantha	5	2	Surguja
TOTAL	55	16	43	12	Raigarh
(Estd. mid-year pop. 36,802 thousands)								Amravati
Total for w/e 14.6.52	24	9	74	28	Yeotmal
Total for w/e 7.6.52	44	20	57	21	Akola
7-yearly mean for the week	96	40	175	36	6	2	..	Buldana
Goorg								TOTAL	148	66	18	2
Total	6	1	(Estd. mid-year pop. 21,554 thousands.)							
(Estd. mid-year pop. 287 thousands.)								Total for w/e 14.6.52	107	51	114	19
Total for w/e 14.6.52	Total for w/e 7.6.52	85	62	90	12
Total for w/e 7.6.52	7-yearly mean for the week	118	66	212	29
7-yearly mean for the week	2	Madras							
Delhi								Vishakhapatnam	8	1
Delhi City	Srikakulam	1	1	14	4
New Delhi	East Godavari	9	4	2	2
Delhi Notified Area	1	Krishna	11	1
New Delhi Cantt.	Guntur	3
West Delhi N.A.C.	Nellore	1	1	15	2
Rural Circles	Ouddappah	92	38	21	5
TOTAL	1	Kurnool	10	4
(Estd. mid-year pop. 1,744 thousands.)								Bellary	76	20	9
Total for w/e 14.6.52	1	1	Anantapur	99	53	14	2
Total for w/e 7.6.52	Madras	3	..	13	3
7-yearly mean for the week	8	5	Chingleput	15	5
Himachal Pradesh								Chittoor	88	48	9
No Incidence								North Arcot	1	..	9	4
(Estd. mid-year pop. 937 thousands.)								Salem	1
Total for w/e 14.6.52	Coimbatore	18	10	9	2
Total for w/e 7.6.52	1	South Arcot	3	1
Madhya Pradesh								Panjore	2	3
Nagpur	Tiruchirapalli	8	4	2
Wardha	Mathurai
Chanda	Ramnad	4	1
								Tirunelveli	9
								Nilgiris
								Malabar	16	3

Explanation of symbols used: C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1952—*contd.*

				CHOLERA				SMALLPOX				PLAGUE			
				C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Madras— <i>contd.</i>								Punjab (I)— <i>contd.</i>							
South Kanara	7	1	Gurdaspur
West Godavari . . .	8	3	18	6	TOTAL . . .	13	7	21	11
TOTAL . . .	415	186	218	43	(Estd. mid-year pop. 12,645 thousands).							
(Estd. mid-year pop. 57,900 thousands.)								Total for w/e 14-6-52	21	4
Total for w/e 14-6-52 . . .	305	120	273	57	Total for w/e 7-6-52	12	2
Total for w/e 7-6-52 . . .	170	86	224	62	7-yearly mean for the week . . .	14	8	23	9
7-yearly mean for the week . . .	278	137	401	91	2	1	1	Tripura							
Manipur								TOTAL . . .	No incidence.						
TOTAL	2	1	(Estd. mid-year pop. 668 thousands)							
(Estd. mid-year pop. 588 thousands.)								Total for w/e 14-6-52
Total for w/e 14-6-52	1	Total for w/e 7-6-52
Total for w/e 7-6-52	2	1	Uttar Pradesh							
Orissa								Dehra Dun	5
Cuttack . . .	3	2	13	2	Saharanpur
Balasore	Muzaffarnagar
Puri . . .	12	9	8	1	Meerut
Sambalpur . . .	71	51	17	1	Bulandshahr
Khondmalas	Aligarh . . .	39	8
Ganjam Plains . . .	10	5	10	1	Mathura
Ganjam Agency	2	3	Agra	25	11
Koraput	12	1	Mainpuri
Keonjhar	7	1	Etah
Dhenkanal	Bareilly
Bolangir Patna . . .	266	202	37	2	Bijnor
Sundergarh	9	1	Budaun . . .	4	3
Kalahandi	Moradabad
Angul	Shahjahanpur	1
Mayurbhanj . . .	2	2	2	Pilibhit
TOTAL . . .	304	271	117	13	Farrukhabad . . .	11	7	1
(Estd. mid-year pop. 14,761 thousands.)								Etawah . . .	6	4	1
Total for w/e 14-6-52 . . .	264	177	111	13	Kanpur . . .	29	16	2
Total for w/e 7-6-52 . . .	313	206	213	60	Fatehpur . . .	65	27
7-yearly mean for the week . . .	78	42	201	42	Allahabad
Punjab (I)								Jhansi
Hissar	2	1	Jalaun . . .	41	13
Rohtak	5	Hamirpur . . .	26	20
Gurgaon . . .	13	7	Banda . . .	75	31
Karnal	1	Banaras . . .	5	1	1
Ambala	4	Mirzapur
Simla	Jaunpur
Kangra	Ghazipur . . .	18	4	2
Hoshiarpur	1	1	Ballia . . .	7	2
Jullundur	4	Gorakhpur . . .	8	4
Ludhiana	Deoria
Ferozepur	1	1	Basti . . .	15	10	4	3
Amritsar	8	3	Azamgarh
								Nainital
								Almora
								Garhwal	4

Explanation of Symbols u 1: C=Cases. D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1952—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Uttar Pradesh— <i>contd.</i>								STATES PART (B)							
Lucknow		13	7	Hyderabad							
Unao		24	11	6	4	Aurangabad		1
Rae Bareilly		Parbhani		6	2
Sitapur		8	1	Dhule		3	2
Hardoi		Gulberga	
Kheri		5	3	Rajchur		1
Faizabad		2	1	Bidar	
Gonda		Osmanabad	
Bahraich		Warrangal	
Sultanpur		9	6	Karimnagar	
Partabgarh		1	Adilabad		4	1
Bara Banki		9	3	Nizamabad	
Rampur		Medak		2
TOTAL		414	175	55	19	Nalgonda		32	17
(Estd. mid-year pop. 64,152 thousands)								Mahbubnagar	
Total for w/e 14.6.52		487	275	120	40	Hyderabad	
Total for w/e 7.6.52		298	157	85	31	Nanded		9	5
7-yearly mean for the week		711	369	188	52	TOTAL		47	22	11	5
West Bengal								Jammu & Kashmir							
Burdwan		6	3	23	9	Return not received.							
Birbhum		6	3	Madhya Bharat							
Bankura		4	2	6	1	Bhind	
Midnapur		62	23	12	3	Bhilai	
Hooghly		9	5	Gird	
Howrah		28	14	Indore	
24-Parganas		56	12	34	14	Jhabua	
Calcutta		90	28	Morena	
Nadia		Mandsaur	
Murshidabad		2	1	8	1	Nimar	
Malda		11	1	Ratlam	
West Dinajpur		Shivpuri		15	6
Jalpaiguri		2	1	Shajapur	
Darjeeling		Guna		55	36	6	5
Cooch Behar		3	TOTAL		70	36	6	5
Chandernagore		Mysore							
TOTAL		257	88	105	33	Bangalore		3	5
(Estd. mid-year pop. 25,180 thousands)								Chikmagalur	
Total for w/e 14.6.52		215	102	103	37	Chitaldrug		3
Total for w/e 7.6.52		207	102	112	42	1	..	Hassan		1
7-yearly mean for the week		280	96	183	97	Kadur	
Grand total for State Parts (A) & (C)		2,114	924	678	159	Kolar		4	2
(Estd. mid-year pop. 2,88,822 thousands)								Mandya		1	3
Corresponding total for w/e 14.6.52		1,682	834	896	212	Mysore		79	39	1	1	5	4
Corresponding total for w/e 7.6.52		1,331	702	877	246	1	..	Shimoga		10	3	6	1
7-yearly mean for the week		2,432	1,210	1,769	432	9	3	Tumkur		1
								TOTAL		100	48	16	4	5	4

Explanation of symbols used :— C=Cases, D=Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 21st June, 1952—concl'd.

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Patiala & East Punjab States Union						Vindhya Pradesh					
TOTAL 50 10 ..						Chhatarpur					
Rajasthan						Datia 1					
Return not received.						Rewa					
Saurashtra						Satna					
Gohilwad 3 2						Shahdol					
Halar — —						Tikamgarh —					
Madhya Saurashtra 2 1						TOTAL 1					
Sorath						Grand total for States					
Malwad —						Part (B) 218 106 109 33 5 4					
TOTAL 5 3						Grand total for States					
Travancore-Cochin						Parts (A), (B) and (C) 2,332 1,030 782 192 5 4					
TOTAL 21 6						TYPHUS					
Delhi						Place Period Cases Deaths					
Explanation of Symbols used:—C.—Cases; D.—Deaths						Greater Bombay w/o 21-6-52 5 ..					
Poliomyelitis						(Information based on patients treated in hospitals in important towns.)					
Place Period Cases						Poliomyelitis					
Delhi 18—30 June, 1952 7 Paralytic						Poliomyelitis					

Explanation of Symbols used:—C.—Cases; D.—Deaths

Chhatarpur						Vindhya Pradesh					
Datia											
Rewa											
Satna											
Shahdol											
Tikamgarh											
TOTAL						1					
Grand total for States											
Part (B)						218	106	100	33	5	4
Grand total for States											
Parts (A), (B) and (C)						2,332	1,030	782	102	5	4

TYPHUS

Place	Period	Cases	Deaths
Greater Bombay	w/e 21-6-52	5	

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns.)

Place	Period	Cases
Delhi	16—30 June, 1952	7 Paralytic

NEW DELHI-2 (INDIA); }
The 14th July, 1952 }

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 21st June, 1952.

Town	Mid.-1952 Popn.-Est (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
Ajmer	203	81	20.7	16	4	7	..	36	9.2	11	
Baerwar	53	13	12.8	10	9	3	4	..	32	31.4	13	
TOTAL	256	94	19.1	10	25	7	11	..	68	13.8	24	
Assam														
Bhopal														
"Under reference."														
Bhopal city	106	34	16.7	..	1	..	3	1	4	..	9	4.4	..	
Bihar														
Returns not received.														
Bombay														
Ahmedabad	814	531	34.2	..	1	..	16	9	103	1	271	17.3	..	
Ahmednagar	83	44	27.6	1	7	..	15	9.4	..	
Amalner	46	29	37.3	5	..	3	..	14	15.8	..	
Bagalkot	33	16	25.2	2	10	15.7	2	
Baroda	219	165	39.2	30	..	9	1	64	15.2	20	
Barsi	43	27	32.7	2	10	12.1	1	
Belgaum	85	50	34.2	1	1	3	..	18	11.1	1	
Bhusawal	56	35	33.4	7	..	2	..	12	11.4	4	
Bijapur	69	38	29.1	3	..	2	..	14	10.7	2	
Broach	64	56	45.5	5	..	6	..	21	17.0	7	
Cambay	40	20	26.0	8	10	13.0	7	
Chalisgaon	31	19	31.9	3	1	6	10.1	2	
Dharwar	69	26	19.6	3	..	2	..	21	15.6	4	
Dhulia	80	41	26.7	4	..	1	..	9	5.9	2	
Gadag-Botgeri	67	33	25.6	6	..	3	..	33	25.6	10	
Godhra	40	28	36.4	8	..	1	..	14	18.2	2	
Greater Bombay	2,987	1,520	20.5	..	4	..	6	..	133	1	673	8.7	193	
Hubli †														
Jalgaon †														
Kalyan †														
Kolhapur	143	93	33.8	1	2	2	..	40	14.5	..	
Nandurbar	31	24	40.3	2	1	2	..	13	21.8	3	
Malegaon	57	93	59.2	2	1	3	..	9	6.2	..	
Miraj†														
Nadlad	65	54	43.2	16	22	17.6	..	
Nasik	103	55	27.8	3	1	5	1	23	11.6	5	
Naveari †														
Pandharpur	41	33	41.8	7	3	7	..	21	26.6	7	
Patan	44	36	43.5	9	..	3	..	18	21.8	3	
Poona	516	255	25.7	3	4	35	5	115	11.5	..	
Sangli	52	24	24.5	4	..	1	..	11	11.2	2	
Satara	38	27	36.9	2	1	1	2	14	19.2	..	
Sholapur	274	187	35.1	8	3	28	2	70	13.3	18	
Surat	230	181	40.9	..	1	..	21	1	24	..	101	22.8	32	
Thana †														
TOTAL	6,419	3,747	30.4	..	6	..	187	29	386	13	1,672	13.5	327	
Delhi State														
Delhi City	955	489	26.6	223	11	54	3	347	18.9	91	
New Delhi	304	180	30.8	8	..	6	1	62	10.6	11	
TOTAL	1,259	669	27.6	231	11	60	4	409	16.9	102	
Madhya Pradesh														
Achalpur †														
Akola	93	66	36.9	13	1	34	19.0	..	
Amravati	90	58	33.5	5	..	4	..	43	24.8	12	
Bilaspur	39	21	32.0	5	1	15	20.0	6	
Burhanpur	72	58	41.9	..	1	..	9	..	1	..	19	13.7	..	
Chanda	41	28	35.5	3	11	14.0	6	
Damoh†														
Gondia	39	36	48.0	..	1	..	10	2	4	..	21	28.0	7	
Hinganghat†	34	10	15.3	2	9	18.8	4	
Jabalpur	212	99	24.3	..	1	..	8	10	5	..	43	10.5	6	
Kabaddwa	54	32	30.8	3	5	4.8	..	
Nagpur †														
Raipur	93	25	14.0	7	..	3	..	18	10.1	..	
Sagar†														
Wardha	41	11	14.0	4	4	5.1	..	
Yotmal	37	30	50.6	6	10	14.1	3	
TOTAL	854	483	29.4	..	3	..	75	13	17	1	232	14.1	44	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 21st June, 1952—*contd.*

Town	Mid-1952 Popn.-Est. (000)	B.	B.R.*	Deaths from							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	I.D.			
Madras													
Adoni	56	31	28.8	—	—	—	2	—	9	9.4	5
Ambur†													
Anakapalle	42	23	28.5	—	..	—	5	0	4	1	32	39.6	14
Aruppukota†													
Bellary†													
Bhimavaram†													
Cannanore	43	27	32.7	—	—	—	3	—	..	1	9	10.9	3
Chirala	37	10	14.1	—	—	—	5	—	12	16.9	2
Chittoor†													
Coimbatore	203	186	47.6	—	—	..	2	8	13	1	68	17.4	12
Cuddalore	69	62	46.7	3	6	4	..	25	18.8	6
Cuddappah	39	23	30.7	—	2	4	4	1	25	33.3	4
Dindigul	82	29	18.4	2	5	0	..	17	10.8	3
Eluru	90	43	24.8	3	..	4	..	24	13.9	1
Erode	60	48	41.6	2	2	2	..	19	16.5	3
Guddiyattam	47	33	36.5	4	21	23.2	12
Guntur	124	105	44.0	6	5	1	1	33	13.8	3
Kakinada	103	63	31.8	6	1	35	17.7	14
Kancheepuram	86	80	48.4	..	1	..	1	5	15	1	49	29.6	13
Karakudi	39	25	33.3	2	2	..	17	22.7	3
Karur	44	30	35.5	1	7	8.3	—
Kozhikode	162	151	48.5	—	7	4	5	..	61	19.6	14
Kumbakonam	95	58	31.7	1	1	3	2	32	17.5	11
Kurnool	62	42	35.2	—	1	..	1	..	11	9.2	2
Madras†													
Mangalore†													
Masulipatnam†													
Mathurai	378	198	27.2	6	14	30	1	101	13.9	16
Mayuram	35	38	43.9	1	..	12	16.0	..
Melapalayam	38	10	13.7	3	1	4	..	9	12.3	..
Negapattinam	59	36	31.7	1	2	..	16	41.1	3
Nellore	85	46	28.1	7	3	8	1	51	31.2	11
Ootacamund	43	38	46.0	1	1	9	..	23	27.8	4
Palyamkottai	41	33	41.9	2	1	3	1	13	16.5	5
Palghat	71	44	32.2	1	4	1	—	32	23.4	9
Proddatur†													
Pudukottai†													
Rajahmundry	109	42	20.0	12	3	3	..	49	23.4	13
Rajapalayam	63	29	23.9	1	5	..	12	9.9	..
Salem	212	120	29.4	5	4	14	..	38	9.3	5
Srivilliputtur	41	31	39.3	—	1	4	3	..	14	17.8	4
Tanjore	105	103	57.0	2	3	..	46	22.6	11
Tellicherry	63	38	31.4	2	4	1	21	17.3	3
Tenali†													
Tiruchirappalli	226	99	22.8	—	..	4	13	1	52	12.0	13
Tirunelveli†													
Tiruppur	55	36	34.0	1	1	3	—	13	12.3	3
Tiruvannamalai	31	26	43.6	3	..	12	20.1	2
Tuticorin	101	59	30.4	2	1	6	..	26	13.4	9
Vaniyambadi	40	19	24.7	..	1	2	4	..	16	20.8	5
Vellore	111	125	58.6	..	1	..	3	8	12	..	62	29.0	..
Vijayavada	171	66	20.1	5	5	7	..	36	10.9	6
Virudunagar	48	50	54.2	2	7	1	..	18	19.5	4
Visakhapatnam	113	68	31.3	3	11	..	52	23.9	11
Vizianagram	69	39	29.4	4	5	6	1	39	29.4	7
TOTAL	3 901	2,462	32.8	..	3	..	105	130	228	14	1,270	16.9	209
Orissa													
Berhampur	65	35	28.1	3	2	1	2	15	12.0	4
Cuttack	108	90	42.3	5	..	5	..	34	16.7	7
Puri	50	30	31.2	5	9	2	..	25	26.1	8
TOTAL	221	155	36.6	13	11	8	2	74	17.4	19

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 21st June, 1952—*contd.*

Town	Deaths from—												D.R.*	I.D.
	Mid-1952 Popn.-Est. B. (000)	B.R.*	C	S	P	F	D. D.	R. D.	M. D.	Total				
Punjab (I)														
Amritsar	59	28	24.8	10	..	4	...	18	16.0	5	
Amritsar	817	108	32.7	...	3	..	4	8	10	1	83	13.7	14	
Batala	57	25	22.9	10	...	1	1	16	14.7	6	
Bhivani	53	47	46.4	24	1	1	3	40	39.4	5	
Ferozepore	41	20	25.5	3	3	3	...	15	19.1	6	
Hissar	30	29	42.1	10	...	1	...	21	30.5	7	
Hoshiarpur	47	23	25.6	6	2	4	...	13	14.5	4	
Jullundur	176	110	32.7	9	2	5	...	40	11.9	14	
Karnal	61	31	26.6	...	1	...	8	11	9.4	3	
Ludhiana	159	89	29.3	30	1	4	...	45	14.8	11	
Moga	35	21	28.9	7	1	2	...	12	16.5	2	
Patlipat	57	32	29.4	8	...	1	...	11	10.1	2	
Pathankot †														
Rawal	35	14	20.9	8	3	2	...	10	19.4	3	
Rohtak	73	49	35.1	17	...	2	...	21	15.0	8	
Simsa	40	24	27.3	1	6	6.8	2	
Sonepat	31	17	28.7	7	...	2	...	13	21.9	3	
TOTAL	1,286	757	30.6	...	4	...	168	21	51	5	378	15.3	95	
Uttar Pradesh														
Agra	344	276	42.0	...	1	..	3	17	88	...	174	26.4	32	
Allahabad	332	121	10.6	9	2	34	1	75	12.2	12	
Amroha	59	35	31.0	6	2	2	1	23	20.4	8	
Bahraich	45	22	25.6	4	8	9.3	3	
Ballia	32	3	4.9	6	2	12	19.6	2	
Benaras	350	213	31.8	...	1	...	69	13	18	1	199	29.7	40	
Banda	31	9	15.2	5	2	...	1	...	10	16.0	2	
Bareilly	197	105	27.9	...	1	...	13	1	12	1	41	10.9	14	
Basti†														
Bijnor†														
Budaun	53	30	24.6	13	...	2	1	19	18.7	5	
Bulandshahr	30	13	17.4	9	...	1	...	1	16.1	2	
Chandausi	38	33	45.4	14	1	1	...	26	35.8	11	
Dehra Dun	124	35	14.8	...	1	...	8	1	2	...	24	10.1	8	
Etawah	61	43	36.9	1	15	...	5	...	43	30.9	13	
Faizabad-Ajodhya	79	30	19.0	...	1	...	5	1	2	...	16	10.6	4	
Farrukhabad-Fatehgarh	76	33	22.7	13	4	6	...	28	19.3	6	
Ferozabad	69	44	33.3	12	20	15.2	4	
Ghazilabad	40	17	22.2	3	6	7.8	1	
Ghazipur	35	26	38.8	4	...	2	...	12	17.9	3	
Gonda	33	21	33.3	12	...	1	...	15	23.3	6	
Gorakhpur	128	40	16.3	14	9	4	..	37	15.1	8	
Haridwar	45	24	27.9	15	7	4	...	30	34.0	12	
Hardwar	53	40	36.1	17	2	2	..	31	27.9	10	
Hathras	58	41	37.0	3	31	4	9	...	53	47.8	19	
Jaunpur	53	16	15.8	6	...	6	...	20	19.7	1	
Jhansi	109	84	40.3	64	...	1	...	71	34.1	31	
Kanpur	682	321	25.4	103	24	35	7	263	22.4	80	
Kasganj	33	8	12.7	1	..	1	..	2	9.2	1	
Kaurja	39	21	28.2	3	...	2	1	17	22.8	4	
Koili-Aligarh	141	52	19.3	17	5	6	..	38	14.1	9	
Lucknow†														
Mathura	101	61	31.6	15	...	11	...	36	18.6	14	
Mau-Nath Bhanjan†														
Meerut	167	81	25.4	9	3	5	1	30	9.4	8	
Mirzapur-Vinayachal	90	38	22.1	...	2	...	19	...	4	...	28	16.3	7	
Moradabad	158	90	29.8	17	5	6	..	45	14.9	15	
Muzaffarnagar	67	43	33.6	4	2	1	...	15	11.7	5	
Pilibhit	45	27	31.4	6	6	3	...	22	25.6	7	
Rampur	140	15	5.6	4	..	4	1	18	6.7	5	
Saharanpur	147	91	32.4	45	1	4	...	64	22.8	14	
Sambhal	62	39	32.9	12	...	4	...	22	18.6	4	
Shahjahanpur	99	64	33.8	28	2	1	1	38	20.1	12	
Sitapur	46	10	34.1	10	5	1	...	23	28.1	6	
TOTAL	4,475	2,335	27.1	9	7	...	660	119	291	15	1,686	19.6	457	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B = Births; B.R. = Birth Rate; C = Cholera; S = Smallpox; P = Plague; F = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 21st June, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal			Returns not received.												
Jammu & Kashmir Madhya Bharat		}	STATES (PARTS) Returns not received.												
Mysore State															
Bangalore City	825	215	13.6	23	24	6	2	169	10.7	..		
Davanagere	59	23	20.3	1	6	5.3	..		
Kolar Gold Fields,	163	103	32.9	2	5	8	..	50	16.0	..		
Mysore City	257	179	36.2	..	1	..	14	4	61	23.4	..		
TOTAL	1,304	520	20.7	..	1	..	40	33	14	2	286	11.4	..		
PEPSU															
Bhatinda	35	20	29.7	1	1.5	..		
Malerkotla	33	15	23.6	..	1	..	1	3	4.7	3		
Patiala	100	51	26.5	29	..	3	..	41	21.3	15		
TOTAL	168	86	26.6	..	1	..	30	..	3	..	45	13.9	18		
Rajasthan															
Jwar	59	36	31.7	7	3	6	..	35	30.8	..		
Bharatpur	38	15	21.9	3	1	7	9.5	6		
Bikaner	117	50	15.2	2	10	..	34	10.3	3		
Churu	43	10	12.1	5	5	6.0	..		
Ganganagar	39	10	13.4	..	3	..	4	15	20.0	3		
Jaipur†	181	106	30.4	19	2	44	12.6	7		
Jodhpur	66	3	2.4	2	5	3.9	..		
Kotah City	43	7	8.2	..	2	1	..	5	6.1	2		
Sikar †	94	3	1.7	6	6	3.3	..		
TOTAL	680	240	19.4	..	5	..	46	8	17	..	156	11.9	21		
Saurashtra															
Amavnagar	143	29	10.5	8	..	4	..	16	5.8	6		
Dhoraji	45	23	20.6	8	3	2	..	15	17.3	..		
Gondal	38	13	17.8	2	2	2	..	10	13.7	2		
Jamnagar	109	34	16.2	..	1	..	16	2	4	..	31	14.8	10		
Junagadh	63	23	19.0	8	12	9.9	2		
Morvi	41	10	12.7	2	2	2.5	..		
Porbandar	60	28	24.3	20	..	1	..	32	27.7	17		
Taljkot	141	68	25.1	..	1	..	9	5	2	1	40	14.8	14		
Kirendra Nagar	36	4	5.8	4	..	1	..	8	11.6	1		
Veraval	42	11	13.6	4	..	2	1	7	8.6	1		
TOTAL	718	243	17.6	..	2	..	81	12	18	2	173	12.5	53		
Travancore-Cochin															
Alleppey	124	88	36.9	1	2	5	..	16	7.6	2		
Changanerry	37	57	80.0	1	1	..	7	9.8	1		
Ernakulam	64	38	30.9	3	16	13.0	6		
Kottayam	46	32	36.2	1	2	13	14.6	2		
Mattancherri	76	65	44.5	2	..	15	10.3	..		
Nagercoil	83	38	23.8	3	1	11	6.9	1		
Quilon	68	116	88.7	3	2	..	11	8.4	1		
Trichur	71	45	33.0	1	..	8	5.9	1		
Thiruvandrum City	195	229	61.1	..	1	..	4	2	7	..	30	8.0	4		
TOTAL	764	708	48.2	..	1	..	12	10	18	1	127	8.6	18		
Madhya Pradesh		ARREAR RETURNS													
For w/e															
Kola 7-6-52	93	79	44.2	11	22	12.3	4		
ondia 14-6-52	39	48	64.0	..	3	..	17	3	4	..	28	37.5	6		
Kola "	93	51	28.5	8	2	..	1	20	11.2	4		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 80,000 in India for the week ending the 21st June, 1952—contd.

		Deaths from :—															
Town		Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R*.	I.D.			
Bombay																	
Dhulia	24-5-52	.	80	33	21.5	3	..	5	..	14	9.1	4		
Miraj	"	.	41	2	2.5	2	10	12.6	..		
Sholapur	"	.	274	162	30.8	28	2	37	1	107	20.3	23		
Dhulia	31-5-52	.	80	31	20.2	3	..	4	1	12	7.8	3		
Miraj	"	.	41	13	16.4	1	1	10	12.6	..		
Ahmedabad	"	.	814	534	34.1	—	4	—	40	18	150	1	303	25.1	17		
Gadag Betgeri	7-6-52	.	67	34	26.4	10	..	2	2	24	18.1	5		
Punjab (I)																	
Rohtak	14-6-52	.	73	74	53.0	13	1	2	..	18	12.0	4		
Sonepat	"	.	31	22	37.1	3	..	2	..	6	10.1	4		
Bhopal For w/e																	
Bhopal	7-6-52	103	42	20.6	11	..	3	†	18	8.8	†			
"	14-6-52	"	37	18.2	—	1	..	8	2	3	†	16	7.9	†			
Madras																	
Madras	5-1-52	1,488	1,272	44.0	8	85	174	300	..	1,116	38.6	275			
Salem	"	212	148	36.3	—	..	—	8	4	11	—	49	12.0	14			
Coimbatore	"	203	155	39.7	—	2	8	31	3	91	23.3	14			
Bellary	"	73	42	29.9	2	2	3	..	25	17.8	9			
Nagapattinam	12-1-52	59	1	0.9	4	3.6	...			
Coimbatore	"	203	151	38.7	3	9	17	..	39	17.7	22			
Bellary	"	73	51	36.3	2	24	17.1	9			
Mangalore	"	122	63	26.9	4	1	4	..	36	15.3	4			
Kazhikode	"	102	101	32.4	..	1	..	2	...	7	2	46	14.8	5			
Virudunagar	19-1-52	48	40	43.3	3	6	4	..	22	23.8	2			
Bellary	"	73	44	31.3	1	1	4	1	19	13.5	1			
Palghat	"	71	35	25.6	—	2	..	10	7.3	3			
Tellichury	"	63	27	22.3	..	1	..	1	1	2	..	8	6.6	2			
Visakhapatnam	26-1-52	113	84	38.7	14	2	10	..	69	31.8	16			
Kakinada	"	103	39	19.7	1	1	32	16.2	13			
Vijayavada	"	171	50	15.2	..	1	..	3	..	4	..	28	8.5	4			
Tanjore	"	105	68	33.7	1	7	7	2	57	28.2	8			
Mangalore	"	122	77	32.8	1	1	9	..	47	20.0	7			
Bhimavaram	"	33	1	1.6	.			
Proddatur	"	38	13	17.8	1	..	2	..	8	10.9	2			
Ootacamund	"	43	22	26.6	..	—	—	—	—	5	..	10	12.1	2			
Kakinada	2-2-52	103	43	21.7	1	2	1	..	26	13.1	7			
Kancheepuram	"	86	69	41.7	1	2	4	15	1	76	45.9	21			
Tiruchirappalli	"	226	191	43.9	1	7	14	..	81	18.6	14			
Tanjore	"	105	58	28.7	2	3	2	6	1	46	22.6	10			
Srivilliputtur	"	41	36	45.7	5	9	2	..	29	36.8	4			
Vaniyambadi	"	40	29	37.7	2	2	1	13	16.9	3			
Bhimavaram	"	32	15	24.4	4	2	7	11.4	..			
Proddatur	"	38	36	49.3	1	1	2	..	11	15.1	5			
Anakapalla	"	42	25	31.0	..	6	..	2	2	3	..	28	34.7	12			
Kakinada	9-2-52	13	54	27.3	7	2	37	18.7	16			
Tuticorin	"	101	49	25.2	5	1	8	..	40	20.6	8			
Tiruvanamalai	"	31	20	33.5	2	6	2	...	20	33.5	2			
Vaniyambadi	"	40	18	23.4	1	2	..	10	12.0	1			
Coimbatore	"	203	171	43.8	1	10	15	1	65	16.6	15			
Bellary	"	73	50	35.6	—	1	7	1	18	12.8	3			
Proddatur	"	38	20	27.4	1	..	3	..	14	18.2	2			
Anakapallu	"	42	20	24.8	..	8	..	3	3	5	1	25	31.0	8			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever, D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 21st June, 1952, relate to 175 towns with an estimated population of 22,411 thousands. The total number of towns is 281 and their population is 34,545 thousands. Thus 62% of the total number of towns representing 85% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 12,533 and 6,585 representing birth and death rates of 29.1 and 15.3 per thousand of population respectively.

(A) *States (Parts A & C).*—The data here relate to 140 towns with an estimated population of 18,777 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,351 thousands. Thus 60% of the total number of towns representing 64% of the total population is covered. The numbers of births and deaths recorded in these towns were

10,736 and 5,798 representing birth and death rates of 29.7 and 16.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 35 towns with an estimated population of 3,634 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 76% of total number of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,797 and 787 representing birth and death rates of 26.7 and 11.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 21.6.52		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	19.1	13.8	44.0	11.5	33.3	15.0
Bombay	30.4	13.5	32.2	16.3	30.6	18.2
Delhi	27.6	16.9	43.0	14.0	34.8	19.9
Madhya Pradesh	29.4	14.1	24.3	12.0	27.8	16.0
Madras	32.8	16.9	47.0	28.1	47.9	28.3
Orissa	36.5	17.4	27.0	20.0	35.9	23.1
Punjab (I)	30.6	15.3	26.7	13.3	24.2	15.7
Uttar Pradesh	27.1	19.6	32.1	18.5	29.1	26.4
India (only States Parts A & C)	29.7	16.1	30.4	17.1	27.6	19.4

NEW DELHI-2 (INDIA) }

The 14th July, 1952.

K. MITRA,

for Registrar General, India.

